


Appendix A

Table 1: NCMP data- Slough local authority profile

Indicator	Period		England	South East	Bracknell Forest	Brighton and Hove	Buckinghamshire	East Sussex	Hampshire	Isle of Wight	Kent	Medway	Milton Keynes	Oxfordshire	Portsmouth	Reading	Slough	Southampton	Surrey	West Berkshire	West Sussex	Windsor and Maidenhead	Wokingham
Reception: Prevalence of underweight	2013/14	◀▶	0.95	0.73	*	0.89	1.19	0.71	0.51	*	0.70	0.71	0.95	0.70	0.39	0.77	2.35	0.75	0.85	*	0.58	*	1.15
Reception: Prevalence of healthy weight	2013/14	◀▶	76.5	78.8	*	81.1	80.6	77.5	78.7	*	78.5	77.4	76.9	79.2	76.3	75.7	77.5	74.8	81.1	*	77.6	*	80.8
Reception: Prevalence of overweight (including obese)	2013/14	◀▶	22.5	20.5	20.1	18.1	18.2	21.8	20.8	21.3	20.8	21.9	22.2	20.1	23.3	23.5	20.2	24.5	18.1	19.5	21.8	15.9	18.1
Reception: Prevalence of obesity	2013/14	◀▶	9.5	8.0	7.0	7.3	7.2	7.6	7.8	7.6	8.2	9.0	9.6	7.3	9.9	11.1	10.9	11.0	6.7	6.7	8.5	5.5	6.6
Year 6: Prevalence of underweight	2013/14	◀▶	1.36	1.25	1.30	1.54	1.35	1.25	1.14	0.95	1.05	1.12	1.22	1.28	1.36	1.55	2.72	1.07	1.31	1.16	1.18	2.32	1.25
Year 6: Prevalence of healthy weight	2013/14	◀▶	65.1	68.4	70.1	71.9	70.9	68.1	69.9	67.5	66.2	66.1	65.0	68.0	65.0	63.9	60.8	61.8	72.0	70.7	69.5	66.4	71.1
Year 6: Prevalence of overweight (including obese)	2013/14	◀▶	33.5	30.3	28.6	26.6	27.7	30.7	28.9	31.6	32.7	32.8	33.8	30.7	33.6	34.6	36.5	37.2	26.7	28.1	29.3	31.3	27.6
Year 6: Prevalence of obesity	2013/14	◀▶	19.1	16.4	16.1	13.3	14.2	16.4	15.4	17.1	18.5	17.4	18.6	16.9	20.3	19.9	21.6	21.8	13.5	16.0	16.0	16.2	11.4

Trend graph: Year 6 obesity in Slough compared with other neighbouring local authorities



Graph 1: Prevalence of obesity in Year 6 children in slough





Table 2: Prevalence of obesity in year reception children in Slough



Note: The year reception obesity rates remain amber but there are some technical issues being resolved by the providers. The provider has conducted a review of the measuring process and more details will be known soon. The providers are now recording data directly on laptops onto the new NCMP system.


Table 3. Underweight in reception year children in Slough

Compared with benchmark: ● Better ● Similar ● Worse □ Not compared

Trends for: **Slough**
All in South East

Reception: Prevalence of underweight Slough

Proportion - %



Period	Sig	Count	Value	Lower CI	Upper CI	South East	England
2006/07	●	42	4.07	3.02	5.46	1.25	1.28
2007/08	●	19	1.72	1.10	2.67	1.22	1.25
2008/09	●	47	4.10	3.10	5.42	0.97	1.01
2009/10	●	37	3.08	2.24	4.21	0.75	0.93
2010/11	●	34	2.52	1.81	3.50	0.84	0.97
2011/12	●	52	3.14	2.40	4.10	0.77	0.91
2012/13	●	24	1.79	1.20	2.65	0.76	0.88
2013/14	●	14	2.35	1.41	3.91	0.73	0.95

Source: Health and Social Care Information Centre, National Child Measurement Programme


Table 4: underweight in year 6 children in Slough

Compared with benchmark: ● Better ● Similar ● Worse Not compared

Trends for: Slough
All in South East

Year 6: Prevalence of underweight Slough

Proportion - %



Period	Sig	Count	Value	Lower CI	Upper CI	South East	England
2006/07	●	24	2.78	1.88	4.11	1.36	1.50
2007/08	●	31	2.33	1.64	3.28	1.36	1.41
2008/09	●	37	2.83	2.06	3.88	1.21	1.30
2009/10	●	34	2.76	1.98	3.83	1.16	1.28
2010/11	●	36	2.76	2.00	3.80	1.18	1.32
2011/12	●	41	3.01	2.22	4.05	1.14	1.25
2012/13	●	34	2.47	1.77	3.43	1.35	1.33
2013/14	●	39	2.72	1.99	3.69	1.25	1.36

Source: Health and Social Care Information Centre, National Child Measurement Programme

Note: Although a statistically higher rate of children are shown to be underweight in year reception and year 6 in tables 3 and 4, please note that the numbers are small (see the count column).